Upgrade Basic L

Upgrade of an already purchased application-based license (Base License) to the application-based license **Basic L**. The costs of the already purchased license (Base License) are fully credited.

Product description

This product can be used to upgrade the application-based license installed on the system to the **Basic L** application-based license.

Application-based license Basic L

A description of the application-based license Basic L can be found here:

https://store.codesys.com/en/codesys-control-basic-l-bundle.html

Installation

The upgrade license can be installed on the system as usual via the CODESYS License Manager if the selected “Base License” is already installed on the system.

General information

Supplier:

CODESYS GmbH
Memminger Strasse 151
87439 Kempten
Germany

Support:

Technical support is not included with this product. To receive technical support, please purchase a CODESYS Support Ticket.

https://support.codesys.com

Item:

Upgrade Basic L

Item number:

2302000050

Sales/Source of supply:

CODESYS Store
https://store.codesys.com

Included in delivery:

CODESYS Control SL License key

System requirements and restrictions

Programming System	CODESYS Development System Version 3.5.19.10 or higher
Runtime System	Control SL V4.9.0.0 or higher (build on runtime system SDK V3.5.19.10)
Supported Platforms / Devices	• CODESYS Control Win SL • CODESYS Control for emPC-AiMX6 SL • CODESYS Control for BeagleBone SL • CODESYS Control for emPC-AiMX6 MC SL • CODESYS Control for IOT2000 SL • CODESYS Control for Linux ARM SL • CODESYS Control for Linux SL • CODESYS Control for PFC100 SL • CODESYS Control for PFC200 SL • CODESYS Control for PLCnext SL • CODESYS Control for Raspberry Pi MC SL

	• CODESYS Control for WAGO Touch Panels 600 SL
Runtime System Updates	This product does not affect the update authorization of the previously installed licence. It is neither shortened nor extended.
Additional Requirements	-
Restrictions	• DataSource Manager is not supported on Linux-based systems. • Dynamic C code is currently only supported on Linux-based systems.
Licensing	 Single device license: The license can be used on the target device/PLC on which the CODESYS runtime system is installed. Licenses are activated on a software-based license container (soft container), which is permanently connected to the controller. Alternatively, the license can be stored on a CODESYS Key (USB dongle). By replugging the CODESYS Key, the license can be used on any other controller. Note: In demo mode, the software runs for two hours without a license. After that, a manual restart is required.
Required Accessories	Optional CODESYS Key Version 3-xxxxxx (version 2-xxxxxx is not supported)

Note: Technical specifications are subject to change. Errors and omissions excepted. The content of the current online version of this document applies.

Creation date: 2026-02-16