

Upgrade Standard L

Upgrade of an already purchased application-based license (Base License) to the application-based license **Standard L**. The costs of the already purchased license (Base License) are fully credited.

Product description

This product can be used to upgrade the application-based license installed on the system to the **Standard L** application-based license.

Application-based license Standard L

A description of the application-based license Standard L can be found here:

https://store.codesys.com/en/codesys-control-standard-l-bundle.html

Installation

The upgrade license can be installed on the system as usual via the CODESYS License Manager if the selected "Base License" is already installed on the system.

General information

Supplier:

CODESYS GmbH Memminger Strasse 151 87439 Kempten Germany

Support:

Technical support is not included with this product. To receive technical support, please purchase a CODESYS Support Ticket.

https://support.codesys.com

Item:

Upgrade Standard L

Item number:

2302000050

Sales/Source of supply:

CODESYS Store

https://store.codesys.com

Included in delivery:

CODESYS Control SL License key

System requirements and restrictions

Programming	CODESYS Development System Version 3.5.19.10 or higher
System	
Runtime System	Control SL V4.9.0.0 or higher (build on runtime system SDK V3.5.19.10)
Supported	CODESYS Control Win SL
Platforms /	CODESYS Control for emPC-AiMX6 SL
Devices	CODESYS Control for BeagleBone SL
	 CODESYS Control for emPC-AiMX6 MC SL
	CODESYS Control for IOT2000 SL
	CODESYS Control for Linux ARM SL
	CODESYS Control for Linux SL
	CODESYS Control for PFC100 SL
	CODESYS Control for PFC200 SL
	CODESYS Control for PLCnext SL
	CODESYS Control for Raspberry Pi MC SL
	CODESYS Control for WAGO Touch Panels 600 SL

Runtime System Updates	This product does not affect the update authorization of the previously installed licence. It is neither shortened nor extended.
	motalica licerice. It is ficilitie shorterica flor exteriaca.
Additional	-
Requirements	
Restrictions	DataSource Manager is not supported on Linux-based systems.
	 Dynamic C code is currently only supported on Linux-based
	systems.
Licensing	Single device license: The license can be used on the target device/PLC on which the CODESYS runtime system is installed. Licenses are activated on a software-based license container (soft container), which is permanently connected to the controller. Alternatively, the license can be stored on a CODESYS Key (USB dongle). By replugging the CODESYS Key, the license can be used on any other controller. Note: In demo mode, the software runs for two hours without a license. After that, a manual restart is required.
Required	Optional CODESYS Key Version 3-xxxxxx (version 2-xxxxxx is not
•	
Accessories	supported)

Note: Technical specifications are subject to change. Errors and omissions excepted. The content of the current online version of this document applies.

Creation date: 2024-03-05